



JOURNAL OF THE ROYAL LAUREATES ACADEMY

www.rlaindia.org

ROLE OF MIND–BODY PRACTICES IN REDUCING STRESS, ANXIETY, AND EMOTIONAL DISTRESS AMONG COLLEGE STUDENTS: AN EMPIRICAL STUDY

Shashi Gangwar

Research Scholar, Jayoti Vidyapeeth Women's University, Jaipur, Rajasthan

Dr. Mamta

Research Supervisor, Jayoti Vidyapeeth Women's University, Jaipur, Rajasthan

ABSTRACT

College students frequently experience stress and emotional difficulties because of academic expectations, examinations, financial pressures, social relationships, career uncertainty, and lifestyle changes. Mind–body practices such as yoga, meditation, mindfulness, breathing exercises, and relaxation techniques have been increasingly investigated as complementary strategies for addressing these challenges. This paper examines the role of mind–body practices in reducing stress, anxiety, and emotional distress among college students. Existing empirical evidence indicates that structured mind–body interventions can produce beneficial changes in psychological outcomes, although the magnitude and consistency of effects vary according to intervention type, duration, adherence, and study design. Randomized studies involving university students have reported reductions in perceived stress and anxiety and improvements in psychological well-being following yoga and mindfulness programs. Recent systematic reviews similarly indicate that mind–body approaches can support student mental health, while emphasizing the need for stronger evidence and standardized intervention protocols. The paper highlights the potential of college-based mind–body programs as preventive and complementary mental health strategies.

Keywords: Mind–Body Practices, College Students, Stress, Anxiety, Emotional Distress, Yoga, Meditation, Mindfulness, Mental Health

I. INTRODUCTION

The transition into college represents a significant period of personal, academic, and social adjustment. Students are expected to manage demanding coursework while developing new relationships, adapting to unfamiliar environments, making career decisions, and often managing financial and personal responsibilities. These pressures may produce temporary stress, but persistent or intense demands can contribute to anxiety, emotional distress, sleep difficulties, reduced concentration, and decreased academic engagement. Higher education institutions therefore face the challenge of providing mental health interventions that are accessible, acceptable, preventive, and capable of complementing existing counseling services.

Mind–body practices encompass a diverse group of activities that intentionally connect physical processes, attention, breathing, and psychological awareness. Yoga, meditation, mindfulness, controlled breathing, progressive relaxation, and related practices fall within this broad category. Although their specific procedures differ, these approaches commonly encourage individuals to focus attention, regulate breathing, become aware of bodily sensations, and respond more deliberately to thoughts and emotions. Such characteristics may be relevant to students because academic stress frequently involves both physiological arousal and repetitive cognitive responses.

Evidence from university populations is increasingly available. A systematic review of randomized controlled trials involving physical activity, mindfulness, and mind–body therapies identified 18 trials with 2,325 university students and reported significant improvements in anxiety, depression, and stress in most studies. A separate meta-analysis involving tertiary education students reported moderate effects of meditation, yoga, and mindfulness on depression, anxiety, and stress at post-intervention assessment, although effects were smaller when compared with active control conditions. These findings indicate potential benefits while also demonstrating why rigorous evaluation remains important.

Yoga-specific research provides further evidence. A randomized controlled trial involving 129 university students found that 12 weeks of yoga significantly improved perceived stress, emotional well-being, state anxiety, and trait anxiety compared with a control group. A separate trial involving 202 students found that a 12-week yoga program reduced psychological distress and improved sleep quality, with benefits remaining at follow-up.

These findings suggest that mind–body practices may influence several interconnected aspects of student mental health rather than a single psychological outcome.

The purpose of this paper is to examine the role of mind–body practices in reducing stress, anxiety, and emotional distress among college students. The discussion considers the relationship between student stress and psychological functioning, the contribution of yoga and meditation to stress and anxiety management, and the practical implications of implementing mind–body programs within higher education. The evidence is interpreted cautiously because intervention characteristics and study quality vary considerably. Mind–body practices are considered complementary strategies rather than replacements for professional assessment and treatment when students experience clinically significant mental health problems.

II. STRESS AND EMOTIONAL DISTRESS IN COLLEGE STUDENTS

Stress among college students can originate from several interconnected sources. Academic workload and examinations are frequently accompanied by concerns about grades, competition, and future educational opportunities. Students may additionally experience relationship problems, financial difficulties, family expectations, loneliness, relocation, and uncertainty about employment. These stressors can interact with lifestyle factors such as insufficient sleep, irregular meals, limited physical activity, and excessive screen use. The resulting psychological burden may manifest through worry, irritability, emotional exhaustion, concentration difficulties, and reduced motivation.

An important distinction exists between normal academic pressure and persistent psychological distress. Temporary stress may motivate students to prepare for examinations or meet deadlines, whereas prolonged stress can interfere with functioning and quality of life. Anxiety can similarly range from normal anticipatory concern to persistent symptoms that substantially affect daily activities. Mind–body interventions are particularly relevant to prevention and stress management because they can be practiced before difficulties become severe and may provide students with skills for managing everyday psychological demands.

Mindfulness and meditation can potentially influence the way students respond to stressful experiences. Instead of automatically reacting to thoughts such as fear of failure or uncertainty about the future, students can learn to observe thoughts as mental events. This approach does not require students to suppress negative thoughts; rather, it encourages

awareness and a less reactive relationship with them. Over time, this may help students recognize stress responses and select more deliberate coping behaviors.

Yoga introduces physical movement into this process. Postures and breathing exercises can encourage bodily awareness and relaxation, while the structured nature of a yoga session provides a temporary break from academic demands. Research among university students supports this possibility. A randomized trial of 202 students reported reductions in psychological distress after a 12-week yoga intervention, together with improvements in sleep quality. Sleep is particularly important because poor sleep can intensify stress and anxiety, creating a cycle that negatively affects student functioning.

Evidence from larger-scale reviews also supports the potential role of mind–body approaches. A recent systematic review of university-student randomized controlled trials reported improvements in anxiety, depression, and stress across a range of physical activity, mindfulness, and mind–body interventions. Nevertheless, differences between interventions mean that these results should not be interpreted as proof that every type of mind–body practice will produce the same outcome.

College mental health programs should therefore recognize mind–body practices as one component of a broader support system. Students may benefit from combining these practices with counseling, social support, adequate sleep, physical activity, academic planning, and professional care when required. The goal is not simply to reduce stress scores but to improve students' capacity to manage demands while maintaining healthy psychological and social functioning.

III. ROLE OF YOGA, MEDITATION, AND MINDFULNESS IN ANXIETY REDUCTION

Anxiety among students can involve excessive worry, physiological arousal, restlessness, difficulty concentrating, and fear concerning academic or social outcomes. Mind–body practices may provide students with techniques for recognizing and regulating these reactions. Meditation may emphasize attention and awareness, while yoga combines physical movement, breathing, and attentional components. Together, these practices may provide multiple pathways for coping with anxiety.

Evidence from randomized trials supports the potential of yoga and mindfulness. In a controlled study of college students diagnosed with anxiety and/or depression, both yoga and mindfulness interventions were associated with significant reductions in anxiety, depression, and stress symptoms. The study also found significant changes in mindfulness in both intervention groups, suggesting that increased awareness may be one component associated with psychological improvement.

A 12-week randomized yoga study involving 129 university students produced significant improvements in state and trait anxiety as well as perceived stress and emotional well-being. The finding concerning trait anxiety is particularly relevant because trait anxiety reflects a relatively stable tendency toward anxious responding rather than anxiety limited to one immediate situation. However, interpretation should remain cautious because one intervention cannot establish that yoga will have the same effect across all student populations.

Meditation evidence is similarly encouraging. A systematic review of meditation in higher education identified 44 empirical studies and concluded that evidence was comparatively consistent for attention-related outcomes and reductions in stress and anxiety, while academic-performance findings were less consistent. This distinction is useful for educational institutions because the primary rationale for offering meditation should be student well-being rather than promising direct academic improvement.

The relationship between anxiety and emotional distress is complex. Students may experience worry together with sadness, irritability, low confidence, social withdrawal, or sleep disturbance. Mind–body practices may therefore be useful as part of a multidimensional intervention rather than as a single-target treatment. A meta-analysis of mindfulness programs among college undergraduates found improvements in anxiety and depressive symptoms and concluded that mindfulness programs can improve well-being, while also noting publication bias and other methodological concerns.

The practical implication is that colleges can provide structured opportunities for students to learn and practice evidence-informed techniques. Short guided meditation sessions, yoga classes, breathing exercises, and mindfulness workshops can potentially be incorporated into student wellness programs. However, programs should include appropriate referral mechanisms so that students with substantial anxiety or emotional distress can access

qualified mental health professionals. Mind–body practices can support coping and prevention but should not replace individualized clinical care.

IV. IMPLEMENTATION, STUDENT ENGAGEMENT, AND RESEARCH CONSIDERATIONS

The effectiveness of a mind–body program depends not only on the intervention itself but also on implementation. Students are more likely to participate when programs are convenient, affordable, culturally acceptable, and compatible with academic schedules. Colleges can provide sessions at different times, offer online alternatives, and integrate short practices into existing wellness activities. Flexibility may be particularly important because students have different academic timetables and personal preferences.

Digital delivery has become increasingly relevant. During the COVID-19 period, an online randomized controlled trial involving 679 undergraduates evaluated Isha Upa Yoga modules and reported reductions in stress and improvements in well-being after the initial intervention period. The study demonstrates that mind–body practices can potentially be delivered beyond traditional classroom settings. Digital programs may increase accessibility for students who cannot attend scheduled sessions, although adherence and engagement remain important considerations.

Student engagement should be measured rather than assumed. Programs can monitor attendance, frequency of independent practice, completion of online sessions, and student satisfaction. Psychological outcomes can be evaluated using validated instruments for perceived stress, anxiety, emotional distress, well-being, or mindfulness. Pre-intervention and post-intervention measurements provide basic evidence of change, while follow-up measurements help determine whether benefits are sustained.

Research methodology is particularly important because the evidence base contains substantial variation. Earlier meta-analytic research found moderate post-intervention effects for depression, anxiety, and stress but reported that effects became much smaller when studies used active control groups. This suggests that some benefits may reflect factors common to structured health programs, such as social interaction, expectation, regular activity, or instructor attention. Future research should therefore use credible active comparison conditions whenever feasible.

Recent evidence continues to emphasize the need for methodological improvement. A systematic review of university-student randomized trials found generally favorable results across physical activity, mindfulness, and mind–body therapies, but intervention duration ranged from one to sixteen weeks and different outcomes were assessed. Standardized reporting of intervention content, frequency, intensity, instructor qualifications, adherence, and adverse events would make comparisons between studies more meaningful.

Finally, college programs should be evaluated for inclusiveness. Students differ in cultural background, physical ability, previous experience, psychological needs, and preferred forms of support. Programs should avoid presenting one practice as universally appropriate. Adaptations should be available for students with physical limitations, and participation should remain voluntary. A well-designed institutional approach should combine mind–body practices with counseling services, peer support, health education, academic assistance, and appropriate referral systems.

V. CONCLUSION

Mind–body practices have considerable potential as complementary approaches for addressing stress, anxiety, and emotional distress among college students. The transition to higher education can expose students to multiple simultaneous pressures, making accessible preventive strategies particularly valuable. Yoga, meditation, mindfulness, breathing exercises, and relaxation techniques provide structured opportunities for students to develop awareness, regulate attention, relax the body, and respond more deliberately to psychological challenges. Research involving university populations has demonstrated improvements in several psychological outcomes following structured interventions.

The strongest evidence appears to concern reductions in stress and anxiety, although findings concerning depression, academic performance, and longer-term outcomes are more variable. A systematic review of meditation in higher education found relatively consistent evidence regarding stress and anxiety, while a broader meta-analysis identified moderate effects on depression, anxiety, and stress but emphasized methodological limitations and smaller effects against active controls. Consequently, mind–body practices should be presented realistically as potentially beneficial complementary strategies rather than universal solutions.

For colleges, implementation can take several forms, including yoga classes, guided meditation, mindfulness workshops, breathing sessions, digital programs, and integration into

broader student wellness initiatives. Successful implementation requires accessible scheduling, trained instructors, voluntary participation, appropriate adaptation, and regular evaluation. Institutions should also establish clear pathways to counseling and clinical services so that students with significant or persistent psychological symptoms receive appropriate professional support.

Future research should use larger and more diverse samples, stronger control conditions, longer follow-up periods, standardized intervention protocols, and transparent measurement of adherence. Studies should also investigate which combinations of yoga, meditation, mindfulness, and breathing practices are most acceptable and useful for different student groups. Overall, current evidence supports continued investigation and responsible implementation of mind–body practices as part of comprehensive college mental health promotion. Their greatest value may be achieved when they complement, rather than replace, professional mental health services and broader institutional measures addressing the causes and consequences of student distress.

REFERENCES

- Castellote-Caballero, Y., Carcelén-Fraile, M. C., Aibar-Almazán, A., Rivas-Campo, Y., & González-Martín, A. M. (2024). Yoga as a therapeutic approach to mental health in university students: A randomized controlled trial. *Frontiers in Public Health*, 12, 1406937. <https://doi.org/10.3389/fpubh.2024.1406937>.
- Chang, T. F. H., et al. (2022). Online Isha Upa Yoga for student mental health and well-being during COVID-19: A randomized control trial. *Applied Psychology: Health and Well-Being*. <https://doi.org/10.1111/aphw.12341>.
- Falsafi, N. (2016). A randomized controlled trial of mindfulness versus yoga: Effects on depression and/or anxiety in college students. *Journal of the American Psychiatric Nurses Association*, 22(6), 483–497. <https://doi.org/10.1177/1078390316663307>.
- García-Pérez, L., Atencia-Rodríguez, M. E., Cepero-González, M., & Padial-Ruz, R. (2026). Effectiveness of physical activity, mindfulness and mind-body therapies in improving mental health of university students: A systematic review of RCTs. *Journal of American College Health*, 74(4), 1085–1100. <https://doi.org/10.1080/07448481.2025.2492174>.

Haberlin, S., & Bradshaw, T. (2025). The integration of meditation into higher education: A systematic literature review. *Journal of American College Health*, 73(10), 3855–3867. <https://doi.org/10.1080/07448481.2025.2451974>.

Johnson, B. T., Acabchuk, R. L., George, E. A., Nardi, W., Sun, S., Salmoirago-Blotcher, E., Scharf, J., & Loucks, E. B. (2023). Mental and physical health impacts of mindfulness training for college undergraduates: A systematic review and meta-analysis of randomized controlled trials. *Mindfulness*, 14(9), 2077–2096. <https://doi.org/10.1007/s12671-023-02212-6>.

Nemeroff, R., Harden, A., & Kowalsky, B. (2024). Yoga classes as an early intervention for college students reporting high levels of stress and anxiety: A pilot study. *Journal of American College Health*, 72(1), 4–10. <https://doi.org/10.1080/07448481.2021.2008401>.

Pascoe, M. C., Bauer, I. E., & Mikkelsen, K. (2019). The effects of meditation, yoga, and mindfulness on depression, anxiety, and stress in tertiary education students: A meta-analysis. *Frontiers in Psychiatry*, 10, 193. <https://doi.org/10.3389/fpsy.2019.00193>.

Singh, N. N., et al. (2023). Effect of a single session of yoga and meditation on stress reactivity: A systematic review. *Stress and Health*.

The effects of yoga on student mental health: A randomised controlled trial. (2021). *Health and Wellbeing*. <https://doi.org/10.1080/21642850.2020.1843466>.